TOP-20-065060



FIG. 1


200
206
Computer Readable Storage Medium
202
Processor(s)
203
Input Device(s)
204
Output Device(s)
205
Computer Readable Storage Medium Reader
201
207
Communications Interface
208
Storage
209
Working Memory
291
Operating System
292
Other Programs

FIG. 2



FIG. 3a

TOET20:0655060


302
302b
Move, resize, reorder, etc. one or more available window portions
Enh. Operability
EO
EO
324a
Main
302a
File Edit View Tools Message Help
Function Button
Button
Button
Button
Button
INBOX
Folder
Column button
Col Btn
Col Bt
321e
Inbox
321b
321
321f
322b
Outbox
322
323
Preview
322a
322c
322d
321a
321c
321d
EO
324d
303
Find Messages
302a
317b
File Edit View Message
Look In
Browse
From
Sender at home
Find Now
To
Stop
Subject
Message
New Srch
332a
Rec Before
Flagged
Rec After
Attachment
332
Message -1
Message -2
331
331a
331c
331d
EO
EO
324b
EO
EO
324c
304
Document
303a
File Edit View Insert Format
Button
Button
Button
344a
Footer
341
Page, Section, Frame, etc.
341b
341a
341c
341d

FIG. 3b


302
302b
Move, resize, reorder, etc. one or more available window portions
324a
Enh. Operability
EO
EO
Main
302a
File Edit View Tools Message Help
Function Button
Button
Button
Button
Button
324a
INBOX
Folder
Column button
Col Btn
Col Bt
Inbox
322b
321b
321
Outbox
322
323
Preview
322a
322c
322d
321a
321c
321d
EO
351
306
EO
EO
324e
Contact Name - Properties
Sum
Name
Home
Biz
Pers
Other
First
Middle
Last
361a
361d
361b
361c
Add
Edit
Remove
Default
364
OK
Cancel
307a
Home/<Room>/Car...
307b
Office/Company...
307c
Mobile...

FIG. 3c


111
USER(S)/
MACHINES
401
App Analyzer
App Analy.Eng
411
App KB
412
App/ Purpose
Rules/ Metrics
Other
401a
404
402
I/O Analyzer
Genericizer
421
Approach Analyzer
422
405
Iteration Analyzer
I/O
404
Conversant Factor Analyzer
403a
Existing Cmd KB
Scenarios
Contexts
Object./Tasks
Designations
Descriptors
Structures
Other Verbiage
Other
431
432
433
434
435
436
437
438
403b
Underlying Machine KB
Presentation
Available Parameters
Interface Verbiage
Other
441
442
443
444
403c
Language/ Speech Eng KB
Tendencies
Verbiage/ Limits/Rules
Special Verbiage
Other
451
452
454
454
403d
Constructs KB
Rules (expect)
Statistics
Language
Dictionary
Colloquialisms
Semantics
Split/Join
Other
461
462
463
464
465
466
467
468
403e
User/Group KB
User/Group I/O
Security I/O
Other
406
Operation Analyzer
408
Optimizer
CONTROL
401b
407
407a
Existing Cmd KB
Organization
Connect + OS
Distribution
Communication (Dwnld, Obj, etc)
Other
471
472
473
474
475
407b
Underlying Machine KB
Capabilities
Avail Controls
Avail Feedback
Avail Param
Enhance
Linking
Other
475
476
477
478
479
480
481
407c
Speech Engine KB
Controls
Command Parameters
Form Information
Other
491
492
493
494
407d
User/Group KB
User/Gorp operabilities
Security operabillities
Other

FIG. 4a


402
I/O Analyzer
Objectives Eng
Context Eng
Operability Eng
Designation Eng
Specificity Eng
Extension Eng
Enhancement Eng
Cmd Structure Eng
Linking Eng
User Assoc Eng
Other
402a
402b
402c
402d
402e
402f
402g
402h
402j
402k
402l

FIG. 4b


111a
111
(Non-Distrib) Command Creator
Command Distributer
495
I/O Portions
Commands
Operability Portions

FIG. 4c


500
500a
501
Root 512
Ctr 513
504
502
503
511
Ctr 513
Ctr 513
542
504
541
500b
1.
Link
2.
505
Cue
3.
506
repl Link
4.
507

FIG. 5a


501a
502g
A
Send
a/an/the
<message type> (e.g. email/fax/letter/memo/etc.)
at home/the office/ etc.
using E
official
personal
confidential
A
to C
from B
GRP1
502a
502b
502c
501b
<status/ type>
D
file
502f
from B
to C
e/f/l/m/e
a/an/the
D
502d
502e
GRP2
501c
that/these
dial/phone/call
C
and ...
GRP3
C's
at/at the
home/office/etc.
home/office/etc.

FIG. 5b

TOETZO" 06550660



FIG. 6a.



FIG. 6b
(Execution)

speech graph where
- end/date caliper
- used as "speech" counter

Best Available Copy



FIG. 7a



FIG. 7b



FIG. 7c



FIG 7d



FIG 7e

EOEH70:05505050



FIG. 8a



FIG. 8b



FIG. 8c



FIG. 8d

Best Available Copy



FIG. 8e



FIG. 8f



FIG. 8g

EFFECTIVE: 06/30/2000



FIG. 6A



FIG. 6B



FIG. 6C

OLD

FIG. 6D



FIG. 6E

TOE:20:06550660

OCD



TOET-70-065506660

ID user <initially, occupy loser (internal)
- MIC ID (eg 2 digits) ← once ID'd as ID as entering ID — can analyze as speaker can say info 1-N
- touch
- voice print
- location (eg easy multiple mics to sound energy
- seating
- etc
- username

for N-person a voice print + other ID ... can further be stored locally with or another ... Worthy or otherwise

→ when unique mic ID, can easily recently ... still need ID for user info transfer as applicable.

FOCF20:06506060

Speech Engine



FIG. 8



FIG. 5
(VI Converter)

SCANNED, # 12

Application Program Screenshot



FIG. 10

TOETZ0.065560

Email Example Command Execution Modules



FIG. 1A

TOETZ0"0655060



FIG. 11B

T0E170 065060



F16.12


ContactName - Properties
Sum
Name
Home
Biz
Pers
Other
Add
Edit
Remove
Default
OK
Cancel
ContactName - Properties
File Edit View Message
Look in
Browse
From
To
Subject
Message
Find Now
Stop
New Srch
Rec Before
Rec After
Message-1
Message-2
Address Book - Main Identity
File Edit View Tools Help
C-Folder-1
C-Folder-2
C-Folder-3
C-Folder-4
Group-1
Group-2
CF1 Contact-1
CF1 Contact-2
CF1 Contact-3
CF1 Contact-4

FIG. 13


N
Prev.
Current
Next
M
M+1
Select\ Process
Re-Position
Last
These Last
These
Next

FIG. 14



- Individual connections to Convert Control (eg initialisation) not shown for clarity
- Note: Convert control may not be necessary where interface/control are separately accessed

FIG.

NEW END CONVERSION

EP 0 370 705 A2

Best Available Copy



FOLEY 0550

Best Available Copy

For Let's Talk Falcon

container / region / window



Remote Handling (4 predominant circumstances)



— Each potentially including data carrying
— The forms (generally) stills linked by



eg: Goto <Folderone> Message